

Total No. of Printed Pages—4

**1 SEM TDC MTMH (CBCS) C 1**

**2 0 2 2**

( Nov/Dec )

**MATHEMATICS**

( Core )

Paper : C-1

( **Calculus** )

Full Marks : 60

Pass Marks : 24

Time : 3 hours

*The figures in the margin indicate full marks  
for the questions*

1. (a) Write the value of  $\frac{d}{dx} \tanh x$ . 1
- (b) Write the curve on which the point  $(\cosh x, \sinh x)$  lies. 1
- (c) Write the interval on which 'secant' is one-to-one. 1
- (d) Find  $y_n$ , if  $y = \sin 5x \cos 2x$ . 2
- (e) Find  $y_n$ , if  $y = x^3 \sin x$ . 3
- (f) Sketch the general shape of the graph of  $y = f(x)$ , where  $\frac{dy}{dx} = 2 + x - x^2$ . 3

**P23/11**

( Turn Over )

( 2 )

- (g) Find  $y_n$ , if  $y = e^{ax+b} \sin x$ . 4

Or

Evaluate  $\lim_{x \rightarrow 0} \frac{\tan x - x}{x - \sin x}$ .

- (h) Find the asymptotes of the curve

$$y^2 - x^2 - 2x - 2y - 3 = 0 \quad 5$$

Or

For the curve  $y = x + \sin 2x$ ,  $-\frac{2\pi}{3} \leq x \leq \frac{2\pi}{3}$ , find the local maximum, local minimum and the interval on which the curve is concave up and concave down.

2. (a) Write the washer's area with outer radius  $R(x)$  and inner radius  $r(x)$ . 1
- (b) Obtain the reduction formula for  $\int x^n e^{-ax} dx$ . 4
- (c) Obtain the reduction formula for  $\int \cos^n x dx$ . 5

Or

Find  $\int \tan^4 x dx$ .

- (d) Find the value of  $\int_0^1 \frac{\sin^3 x}{\cos^6 x} dx$ . 5

P23/11

( Continued )

( 3 )

Or

Find the volume of the solid generated by revolving the region bounded by the curve  $y = x^2$  and the line  $y = 0$ ,  $x = 2$ , about  $x$ -axis.

3. (a) Write the parametrization of the graph of the function  $f(x) = x^2$ . 1
- (b) If a curve is symmetric about  $x$ -axis and the point  $(r, \theta)$  lies on the graph, then write which of the following also lies on the graph : 1
- (i)  $(r, \pi - \theta)$
- (ii)  $(-r, \pi - \theta)$
- (iii)  $(-r, -\theta)$
- (iv)  $(-r, \theta)$
- (c) Define a parametric curve. 2
- (d) Write the polar equation of  $xy = 1$ . 1
- (e) Write the equivalent Cartesian equation of  $r^2 \sin 2\theta = 2$ . 2
- (f) Find the perimeter of the ellipse  $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ , which is defined parametrically by  $x = a \sin t$ ,  $y = b \cos t$ ,  $a > b$  and  $0 \leq t \leq 2\pi$ . 4

P23/11

( Turn Over )



Or

Find the centroid of the first-quadrant arc of the asteroid  $x = \cos^3 t$ ,  $y = \sin^3 t$ ,  $0 \leq t \leq 2\pi$ .

- (g) Find the length of the curve  $x = \cos t$ ,  $y = t + \sin t$ ,  $0 \leq t \leq \pi$ . 4

Or

Find the centre, foci, vertices of the conic section  $x^2 + 2x + 4y - 3 = 0$ .

4. (a) Define a vector function. 1  
 (b) Write the value of  $(\vec{u} \times \vec{v}) \cdot \vec{v}$ . 1  
 (c) Define triple scalar product of vectors. 2  
 (d) Show that vector and its first derivative are orthogonal. 3

Or

Evaluate  $\int_0^1 (te^{t^2} \hat{i} + e^{-t} \hat{j} + \hat{k}) dt$ .

- (e) Find the unit tangent vector of the curve  $\vec{r}(t) = \sin 2t \hat{i} + \cos 2t \hat{j} + \hat{k}$ ,  $0 \leq t \leq \pi$ . 3

Or

Find the acceleration of the particle described by  $\vec{r} = (t-1)\hat{i} + (t^2-1)\hat{j} + 2t\hat{k}$  at  $t = 1$ .

★ ★ ★