Total No. of Printed Pages—7

2 SEM TDC MTMH (CBCS) C 3

2026

(May/June)

MATHEMATICS

(Core)

Paper : C–3

(Real Analysis)

Full Marks : 80

Pass Marks : 32

Time : 3 hours

Central Library & Information Centre, Sibsagar Girls' College
Date .....

The figures in the margin indicate full marks for the questions.

1. *(a)* Using algebraic properties of $\mathbb{R}$, prove that if u and $b \neq 0$ are elements in $\mathbb{R}$ with $u \cdot b = b$, then $u = 1$. 2

(b) State True or False : 1

There exists a rational number whose square is 2.

(c) Fill in the blank : 1

The order properties of $\mathbb{R}$ refer to the notion of positivity and _____ between real numbers.

(d) If $ab > 0$, then prove that either (i) $a > 0$ and $b > 0$ or (ii) $a < 0$ and $b < 0$. 2+2=4

Or

Prove that if x is a rational number and y is an irrational number, then $x + y$ is an irrational number. If, in addition, $x \neq 0$, then show that xy is an irrational number. 4

(e) If $S = \left\{-2, -\frac{3}{2}, -\frac{4}{3}, \ldots, -\frac{n+1}{n}\right\}$, then find $\inf S$ and $\sup S$ if they exist. 2

(f) Prove that the interval $[0, 1]$ is uncountable. 4

Or

Prove that Cartesian product of two countable sets is countable.

(g) If A and B are two non-empty subsets of $\mathbb{R}$ satisfying the property $a \leq b$ for all $a \in A$ and all $b \in B$, then prove that $\sup A \leq \inf B$. 4

Or

If $S = \left\{\frac{1}{n} : n \in \mathbb{N}\right\}$, then show that $\inf S = 0$.

(h) Let $I_n = \left[0, \frac{1}{n}\right]$ for $n \in \mathbb{N}$. Prove that

$$\bigcap_{n=1}^{\infty} I_n = \{0\}$$ 3

(i) State and prove the nested interval property. 5

Or

Prove that the set of natural numbers is not bounded above.

(j) Let S be a non-empty subset of $\mathbb{R}$ and let $a \in \mathbb{R}$ be arbitrary. Define $a + S = \{a + s : s \in S\}$. Prove that $\sup\{a + S\} = a + \sup S$. 4

2. (a) State True or False : 1

The number of terms in a sequence is always infinite.

(b) Consider the sequence $< S_n >$, where $S_n = n^2$, $n \in \mathbb{N}$.

(i) Is the sequence bounded above or bounded below?

(ii) Write the limit point of the sequence if it has any. 2+1=3

(c) Every bounded sequence has a limit point. Is the converse true? Justify. 1+2=3

(d) State the monotone convergence theorem. 1

(e) Show that $\lim_{n\to\infty} b^n = 0$, if $0 < b < 1$. 4

Or

Prove that $\lim_{n\to\infty} \frac{1}{1+na} = 0$, $a > 0$.

(f) Let $X = \langle x_n \rangle$ be defined as $x_1 = 1$, $x_{n+1} = \frac{1}{4}x_n + 2$, $n \geq 1$. Show that $\langle x_n \rangle$ is monotone and bounded. 4

(g) Prove that $\lim_{n\to\infty} x_n = 0$ if and only if $\lim_{n\to\infty} (|x_n|) = 0$. 4

(h) Discuss the convergence or divergence of the following sequences (any *one*) : 4

(i) Sequence $\langle x_n \rangle$, where

$$x_n = 1 + \frac{1}{2} + \frac{1}{3} + \ldots + \frac{1}{n}$$

(Continued)

(ii) Sequence $\langle x_n \rangle$, where

$$x_n = \frac{2n^2 + 3}{n^2 + 1}$$

(i) Define Cauchy sequence. 1

(j) Show that every Cauchy sequence is bounded. Is the converse true? 4+1=5

Or

Establish the convergence or divergence of the sequence

$$y_n = \frac{1}{n+1} + \frac{1}{n+2} + \ldots + \frac{1}{2n}, \quad n \in \mathbf{N}$$ 5

3. (a) Discuss the convergence of a geometric series. 4

(b) State the condition under which the p-series $\sum_{n=1}^{\infty} \frac{1}{n^p}$ diverges. 1

(c) Suppose that $X = \langle x_n \rangle$ and $Y = \langle y_n \rangle$ are strictly positive sequences and suppose that the following limit exists in $\mathbf{R}$:

$$r = \lim_{n\to\infty} \left(\frac{x_n}{y_n} \right)$$

(Turn Over)

Prove that if $r \neq 0$, then $\sum_{n=1}^{\infty} x_n$ is convergent if and only if $\sum_{n=1}^{\infty} y_n$ is convergent. 4

Or

Discuss the convergence of the series

$$\sum_{n=1}^{\infty} \frac{1}{n^2 - n + 1}$$

(d) Define : 1×3=3

(i) Positive term series

(ii) Alternating series

(iii) Conditionally convergent series

(e) Test the convergence of the following (any *two*) : 4×2=8

(i) $1 + \frac{4}{2!} + \frac{4^2}{3!} + \frac{4^3}{4!} + \ldots$

(ii) $\frac{1}{1 \cdot 2 \cdot 3} + \frac{3}{2 \cdot 3 \cdot 4} + \frac{5}{3 \cdot 4 \cdot 5} + \ldots$

(Continued)

(iii) $1 + \frac{x}{1!} + \frac{x^2}{2!} + \frac{x^3}{3!} + \ldots$

(iv) $\frac{1}{x} - \frac{1}{x+a} + \frac{1}{x+2a} - \frac{1}{x+3a} + \ldots$

★ ★ ★

Total No. of Printed Pages—5

2 SEM TDC MTMH (CBCS) C 4

2026

(May/June)

Central Library & Information Centre * Sibsagar Girls' College
Date .....

MATHEMATICS

(Core)

Paper : C–4

(Differential Equations)

Full Marks : 60

Pass Marks : 24

Time : 3 hours

The figures in the margin indicate full marks for the questions

1. *(a)* Write the necessary condition for the equation $M(x, y)dx + N(x, y)dy = 0$ to be an exact differential equation. 1

(b) Write the integrating factor of

$$x\frac{dy}{dx} + \frac{y}{x} = 1$$ 1

(c) Show that $y = 2e^{3x} - 5e^{4x}$ is a solution of the differential equation

$$\frac{d^2y}{dx^2} - 7\frac{dy}{dx} + 12y = 0$$ 3

(d) Solve the initial value problem : 2

$$\frac{dy}{dx} = -\frac{x}{y},\ y(3) = 4$$

(e) Solve : 2

$$(x + y + 1)\frac{dy}{dx} = 1$$

(f) Solve any *two* from the following : 3×2=6

(i) $(3x^2 + 4xy)dx + (2x^2 + 2y)dy = 0$

(ii) $\frac{dy}{dx} + x \sin 2y = x^3 \cos^2 y$

(iii) $(x^2 + y^2)dx - 2xy\,dy = 0,\ y(1) = 2$

(iv) $\frac{dy}{dx} + 3y = 3x^3 e^{-3x}$

2. (a) Draw the input-output compartmental diagram for exponential growth model. Write the word equation for density-dependent population growth model. 1+1=2

(b) Write the differential equation for the case of a single fast-dissolving pill. 2

(c) Answer any *two* from the following : 3×2=6

(i) In a sample, 10% of the original number of radioactive nuclei have undergone disintegration in a period of 100 years. Find what % of the original radioactive nuclei will remain after 200 years.

(Continued)

(ii) The differential equation

$$\frac{dC}{dt} = \frac{F}{V}(C_{in} - C)$$

describes the level of pollution in the lake, where V is the volume of the lake, F is the flow (in and out), C is the concentration of pollution at time t and C_{in} is the concentration of pollution entering the lake. If $V = 28 \times 10^6\ m^3$, $F = 4 \times 10^6\ m^3$/month, find how long would it take for the lake with pollution concentration 10^7 parts/m^3 to drop below the safety threshold (4×10^6 parts/m^3) if only freshwater enters the lake.

(iii) Derive the differential equation for radioactive decay.

3. (a) Define linear homogeneous differential equation. 1

(b) Write the number of arbitrary constants appearing in the solution of a third-order ordinary differential equation. 1

(c) Check whether the functions x and $x \sin x$ are linearly independent or not. 2

(d) Show that e^x and e^{3x} are the solution of the differential equation

$$\frac{d^2y}{dx^2} - 4\frac{dy}{dx} + 3y = 0$$

Also write the linear combinations of the above solution. 4

(Turn Over)

(e) Answer any *one* of the following : 5

(i) If $y = \frac{1}{x}$ is a solution of

$$x^2 \frac{d^2y}{dx^2} + 3x \frac{dy}{dx} + y = 0$$

then find the general solution.

(ii) Solve :

$$\frac{d^2y}{dx^2} - 4\frac{dy}{dx} + 3y = 2e^{3x}$$

4. Answer any *two* from the following : 6×2=12

(a) Solve :

$$x^2 \frac{d^2y}{dx^2} + x\frac{dy}{dx} + y = \sin \log x^2$$

(b) Solve by method of undetermined coefficient :

$$\frac{d^2y}{dx^2} - 2\frac{dy}{dx} - 3y = 2e^{4x}$$

(c) Solve by method of variation of parameter :

$$\frac{d^2y}{dx^2} + y = \text{cosec } x$$

5. (a) Define equilibrium solution of a differential equation. 1

(b) Write the word equation and differential equation for predator-prey model. 2

(c) Find the equilibrium solution of the differential equation of epidemic model of influenza. 3

(d) Write the assumptions considered in predator-prey model. 4

Or

Draw the phase plane diagram of

$$\frac{dx}{dt} = 0 \cdot 2x - 0 \cdot 1xy, \quad \frac{dy}{dt} = -0 \cdot 15y + 0 \cdot 05xy$$

★ ★ ★